

### PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer

Page 1

#### 1 Identification

**Product Identifier:**

Trade Name PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer

**Recommended Use:**

Porous Natural Stone, Unglazed Tile, Concrete. Mortar & Grout

**Restrictions on Use:**

Not for consumer spray applications. In industrial/ professional spray applications, use a coarse spray device, such as a trigger sprayer or pressurized dispenser, that does not produce respirable fine particles. **DO NOT AEROSOLIZE OR ATOMIZE.**

**Supplier of the Safety Data Sheet:**

Company Identification Concrete Sealers USA  
P.O. Box 5464  
De Pere, WI 54115

Company Phone Number: 888-583-2991  
Fax: 920-759-5100  
Email: info@concretesealersusa.com

**Emergency Telephone Number:** CHEMTREC 1-800-424-9300

#### 2 Hazard(s) Identification

**Classification of the Substance or Mixture**

OSHA HCS (29 CFR 1910.1200) Acute Tox. 4; STOT RE 2

**Label Elements**

Hazard Symbol (s)



Signal Word (s)

**DANGER**

Hazard Statement(s)

Harmful if inhaled (Aerosol only).  
May cause damage to organs through prolonged or repeated exposure:  
liver (Aerosol only).

**PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer**

**2 Hazard(s) Identification (Continued)**

Precautionary Statement(s) Do not aerosolize or atomize.  
 Do not breathe spray/mists.  
 In case of inadequate ventilation wear respiratory protection.  
 Wear protective gloves/eye protection/face protection.  
 Use only outdoors or in a well-ventilated area.  
 Wash hands and exposed skin after use.  
 Keep container tightly closed.

**Additional Information** Unlikely to be hazardous by inhalation unless present as an aerosol.

**3 Composition / Information on Ingredients**

Component	Weight %	CAS No.
Proprietary Fluorinated Chemical	3% - 7%	Trade Secret

**Additional Information** - Substances in the product which may present a health or environmental hazard, or which have been assigned occupational exposure limits, are detailed below. – **None**

**4 First-Aid Measures**



**Description of First Aid Measures**

**Inhalation** Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

**Skin Contact** Wash with plenty of soap and water. If irritation (redness,rash, blistering) develops, get medical attention.

**Eye Contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops and persists, get medical attention.

**Ingestion** Do not give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician. Treat symptomatically.

**Most Important Symptoms and Effects, Both Acute and Delayed** In cases of severe exposure, breathing difficulty may develop.

**Indication of Any Immediate Medical Attention and Special Treatment Needed** If breathing is difficult, oxygen should be given by a trained person. Immediately call a POISON CENTER or doctor/physician.

**PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer**

**5 Fire-Fighting Measures**

<b>Extinguishing Media</b>	
Suitable Extinguishing Media	Non-flammable/ Non-combustible. As appropriate for surrounding fire.
Unsuitable Extinguishing Media	None anticipated.
<b>Special Hazards Arising from the Substance or Mixture</b>	Combustion or thermal decomposition will evolve toxic and irritant vapours.
<b>Advice for Firefighters</b>	Firefighters should wear complete protective clothing including self-contained breathing apparatus.

**6 Accidental Release Measures**

<b>Personal Precautions, Protective Equipment and Emergency Procedures</b>	Wear protective gloves/eye protection/face protection.
<b>Environmental Precautions</b>	Do not allow to enter drains, sewers or waterways.
<b>Methods and Material for Containment and Cleaning Up</b>	Contain spillages with sand, earth or any suitable adsorbent material. Collect spillage. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.
<b>Reference to Other Sections</b>	None
<b>Additional Information</b>	None

**7 Handling and Storage**

<b>Precautions for Safe Handling</b>	Use product in a well-ventilated area only. Do not aerosolize or atomize. Do not breathe spray/mists. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/eye protection/face protection.
<b>Conditions for Safe Storage, Including any Incompatibilities</b>	
Storage Temperature	Store in a well-ventilated place. Keep container tightly closed. Store at temperatures not exceeding 50°C/ 122 °F. Do not freeze.
Incompatible Materials	Avoid contact with: Strong oxidizing agents and strong reducing agents.
<b>Specific End Use(s)</b>	Dense Concrete, Stone & Masonry

# PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer

## 8 Exposure Controls / Personal Protection

### Control Parameters

### Occupational Exposure Limits

SUBSTANCE	CAS No.	(8hr TWA)		(STEL)		NOTE:
		PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	
None		-----	-----	-----	-----	-----

### Exposure Controls

#### Appropriate Engineering Controls

In industrial/ professional spray applications, use a coarse spray device, such as a trigger sprayer or pressurized dispenser, that does not produce respirable fine particles. **DO NOT AEROSOLIZE OR ATOMIZE.**

#### Personal Protection Equipment

The following to be used as necessary:

Eye/Face Protection

Safety glasses with side-shields.



Skin Protection (Hand Protection/ Other)

Gloves (Butyl rubber, Neoprene, or Natural rubber). Check with protective equipment manufacturer's data.



Respiratory Protection

Not normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Check with protective equipment manufacturer's data.



Thermal Hazards

Not normally required.

#### Environmental Exposure Controls

Do not allow to enter drains, sewers or waterways.

**PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer**

**9 Physical and Chemical Properties**

**Information on Basic Physical and Chemical Properties**

**Physical State:** Liquid

**Appearance:** Emulsion

**Color:** Clear to Yellowish

**Odor:** Not Available

**Odor Threshold (ppm):** Not Available

<b>Property</b>	<b>Value</b>
<b>pH</b>	8.8 to 9.5
<b>Melting Point/ Freezing Point</b>	Not Available
<b>Boiling Point/ Boiling Range</b>	> 212 F
<b>Flash Point</b>	> 212 F
<b>Evaporation Rate</b>	Not Available
<b>Flammability (Solid, Gas)</b>	Not Applicable
<b>Explosive Limit Ranges</b>	Not Available
<b>Vapour Pressure (Pascal)</b>	Similar to Water
<b>Vapour Density (Air=1)</b>	Similar to Water
<b>Specific Gravity (g/ml)</b>	1.01 to 1.03
<b>Solubility (Water)</b>	Dispersible
<b>Solubility (Other)</b>	Not Available
<b>Partition Coefficient (n-Octanol/ Water)</b>	Not Available
<b>Auto Ignition Point</b>	Not Applicable
<b>Decomposition Temperature</b>	Not Available
<b>Kinematic Viscosity</b>	Not Available/ Not Applicable
<b>Explosive Properties</b>	Not Explosive
<b>Oxidizing Properties</b>	Not Oxidizing
<b>Other Information</b>	Not Available

**10 Stability and Reactivity**

<b>Reactivity</b>	Stable under normal conditions.
<b>Chemical Stability</b>	Stable.
<b>Possibility of Hazardous Reactions</b>	None anticipated.
<b>Conditions to Avoid</b>	Do not freeze. Perishable if frozen.
<b>Incompatible Materials</b>	Avoid contact with: Strong oxidizing agents and strong reducing agents.
<b>Hazardous Decomposition Product (s)</b>	Decomposes in a fire or at high temperatures giving off toxic fumes: hydrogen fluoride, carbonyl fluorides, other phosphorylated or fluorinated organic compounds, and oxides of carbon.

**PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer**

**11 Toxicological Information**

**Exposure routes:** Inhalation, Skin Contact, Eye Contact

**Information on Toxicological Effects:**

Proprietary Fluorinated Chemical (CAS No. Trade Secret) - By analogy with similar materials:

Acute Toxicity	Oral: LD50 > 5000 mg/kg (rat) Dermal: LD50 >5000 mg/kg (rat) Inhalation (4 hr) Approximate Lethal Concentration: 0.047 mg/l (rat)
Irritation/ Corrosivity	Non-irritant.
Sensitization	It is not a skin sensitizer.
Repeated Dose Toxicity	Not available.
Mutagenicity	Not available.
Carcinogenicity	It is unlikely to present a carcinogenic hazard to man.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Developmental Toxicity	Not available.
Toxicity for Reproduction	Not available.
Other Information	None known.

**12 Ecological Information**

**Substances in Preparations/ Mixtures:**

Proprietary Fluorinated Chemical (CAS No. Trade Secret) - By analogy with similar materials:

Acute Toxicity	LC50 (96 hour): >120 mg/l (Pimephales promelas) EC50 (48 hour): 16.2 mg/l (Daphnia magna) ErC50 (72 hour): >120 mg/l (Pseudokirchneriella subcapitata)
Long Term Toxicity	NOEC (21 day): 0.409 mg/l (Daphnia magna)
Persistence and Degradability	Not inherently biodegradable
Bioaccumulative Potential	Not available.
Mobility in soil	Not available.
Results of PBT and vPvB Assessment	Not available.
Other Adverse Effects	None known.

# PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer

## 13 Disposal Considerations

### Waste Treatment Methods

Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

## 14 Transport Information

### Land transport (U.S. DOT)

<b>UN Number</b>	Not classified as dangerous for transport.
<b>Proper Shipping Name</b>	-----
<b>Transport Hazard Class (es)</b>	-----
<b>Packing Group</b>	-----
<b>Hazard Label (s)</b>	-----
<b>Environmental Hazards</b>	-----
<b>Special Precautions for User</b>	-----

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

## 15 Regulatory Information

### Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

**TSCA (Toxic Substance Control Act):** Inventory Status: All components listed or polymer exempt. The Proprietary Fluorinated Chemical (CAS No. Trade Secret) in this product is subject to an action under TSCA Section 5(e) Consent Order.

**TSCA 12(B):** The Proprietary Fluorinated Chemical (CAS No. Trade Secret) (subject to export notification).

### Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
None	-----	-----	-----

**SARA 311/312 - Hazard Categories:** See SECTION 2 - HAZARDS IDENTIFICATION

### SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
None	----	----

### SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	TPQ (pounds)
None	----	----	----

### California Proposition 65 List:

Chemical Name	CAS No.	Typical %wt.	Hazards
None	-----	-----	----

**PS099 Fluorinated Water, Oil & Salt Repellent WB Stone Sealer**

Page 8

**16 Other Information**

**Date of preparation:** January 30, 2019

**Training advice:** None.

**Disclaimer:** We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.