

### PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

Page 1

#### 1 Identification

**Product Name:** PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

**Other Means of Identification:** PS110

**Recommended Use:** Concrete and Masonry Water Repellant

**Restrictions on Use:** No Data

**Supplier of the Safety Data Sheet including Address:**

Concrete Sealers USA

P.O. Box 1223

Brookfield, WI 53008-1223

**Telephone Numbers:** Phone: 888-583-2991

Fax: 262-650-3165

**Emergency Telephone:** ChemTrec: 800-424-9300

#### 2 Hazard(s) Identification

##### Emergency Overview

##### OSHA Hazards:

Causes eye and skin irritation.

##### GHS Classification:

Eye damage/eye irritation – Category 2B

Skin Corrosion/Irritation – Category 2

Label Elements, including precautionary statements

##### Pictograms:

Signal Word: **WARNING**



##### Hazard Statements:

H315

Causes skin irritation.

H320

Causes eye irritation.

##### Precautionary Statement(s)

##### Prevention:

P264

Wash hands and skin thoroughly after handling.

P280

Wear protective gloves/eye protection.

##### Response:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice or attention.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P332+P313

If skin irritation occurs: Get medical advice or attention.

P362+P364

Take off contaminated clothing and wash before reuse.

**Hazards not otherwise classified:** None Known.

# PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

## 3 Composition / Information on Ingredients

**Component**

Water – Non Hazardous	CAS#: 7732-18-5	90%
Triethoxyoctyl-Silane	CAS#: 2943-75-1	10%
S Triazine 1,3,5 (2H,4H,,6H) Triethanol	CAS#: 4719-04-4	<0.1%

Ingredients not listed on this Safety Data Sheet are considered to be non-hazardous according to OSHA 1910.1200 or are not present above their cutoff levels.

## 4 First-Aid Measures

**General Advice:** Consult a physician. Show this Safety Data Sheet to the doctor in attendance. Move out of dangerous area.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. If not breathing, give artificial respiration. Consult a physician.

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Ingestion:** IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If conscious, rinse mouth with water. Call a POISON CENTER/doctor if you feel unwell.

**Skin Contact:** Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.

## 5 Fire-Fighting Measures

**Suitable Extinguishing Media**

Product is not combustible. Use water spray (fog), alcohol-resistant foam, dry chemical, or carbon dioxide for surrounding fire.

**Specific Hazards Arising from the Chemical:** None Known.

**Hazardous Combustion Products:** Carbon Oxides.

**Protective Equipment and Precautions for Firefighters**

Wear self-contained breathing apparatus and full protective gear for firefighting.

**Further Information:** See Section 7 for safe handling and storage.

## 6 Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures**

In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoid skin contact and inhalation.

**Environmental Precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Methods and Material for Containment and Cleaning Up**

Dike and contain spill with inert absorbent materials. Soak up with inert material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

# PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

## 7 Handling and Storage

### Precautions for Safe Handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

### Conditions for Safe Storage, Including any Incompatibilities

**General information:** Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**Safe Storage:** No Additional Data.

**Incompatibilities:** None known.

## 8 Exposure Controls / Personal Protection

### Exposure Guidelines

#### Component Exposure Limit

Not established.

#### Appropriate Engineering Controls

Local Ventilation: Recommended.

General Ventilation: Recommended.

#### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection:** Use proper protection – Safety Glasses as a minimum.

**Skin and Body Protection:** Wash at mealtime and end of shift. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc.). Use chemical protective gloves as a minimum and wash skin promptly upon any skin contact.

**Respiratory Protection:** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

Note: Trace amounts of monomers may be released during use of this material. Use adequate ventilation to keep vapour concentrations below applicable standard.

#### General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and work day.

## 9 Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

#### Physical State

**Appearance:** Liquid

**Odor:** Mild

**Color:** White (Dries Clear)

**Odor threshold:** No Data

Property	Value	Remarks – Method
Vapor Pressure	Not Available	
Vapor Density	Not Available	
Relative Density	Not Available	
pH:	6-9	

# PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

## 9 Physical and Chemical Properties (Continued)

<b>Melting/Freezing Point</b>	Freezing Point 32 Degrees F (0 Degrees C)	
<b>Solubility</b>	Miscible in water	
<b>Evaporation Rate</b>	Not Available	
<b>Flash Point</b>	>212 Degrees F (>100 Degrees C)	Closed Cup
<b>Flammability Limits</b>	Not Relevant	
<b>Flammability (Solid, gas)</b>	Not Relevant	
<b>Auto Ignition Temperature</b>	Not Available	
<b>Initial Boiling Point/Boiling Range</b>	Boiling Point 212 Degrees F (100 Degrees C)	
<b>Decomposition Temperature</b>	Not Available	
<b>Viscosity</b>	Not Available	
<b>Specific Gravity</b>	0.99 +/- 0.01	Density: 8.25 lb./gal. +/- 0.1

## 10 Stability and Reactivity

**Chemical Stability:** Stable.  
**Possibility of Hazardous Reactions:**  
 No Data Available.  
**Conditions to Avoid:** None known.  
**Incompatible Materials:** None known.  
**Hazardous Decomposition Products:** Carbon Oxides.

## 11 Toxicological Information

**Likely Routes of Exposure:** Inhalation, Skin Contact, Eye Contact, Ingestion.  
**Symptoms of Exposure:** Skin & Eye Irritation.  
**Numerical measures of toxicity:** No Data Available.  
**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**  
**Carcinogenicity: IARC, ACGIH, NTP, OSHA**  
 No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen.

## 12 Ecological Information

**Eco toxicity:** No Data Available.  
**Persistence and Degradability:** No Data Available.  
**Bioaccumulation:** No Data Available.  
**Mobility:** No Data Available.  
**Other Adverse Effects:** No Data Available.

# PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

## 13 Disposal Considerations

### Waste Treatment Methods

**Disposal of Wastes:** This product is not expected to be a hazardous waste under RCRA. Dispose of in conformance with all federal, state and local regulations.

**Contaminated Packaging:** Dispose of as unused material.

## 14 Transport Information

**DOT:** Not Regulated.

**IMDG:** Not Regulated.

**Marine Pollutant:** No.

**IATA:** Not Regulated.

## 15 Regulatory Information

### International Inventories

**TSCA:** All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### US Federal Regulations

**SARA 302:** None Known.

**SARA 311/312 Hazard Categories:** Acute Health Hazard.

**SARA 313 Hazard Components:** None Known.

**CWA (Clean Water Act):** None Known.

### Supplemental State Compliance Information

#### California:

This product does not contain any chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

#### New Jersey Right To Know:

CAS Number	Component Name
None Known	

#### Pennsylvania Right To Know:

CAS Number	Component Name
None Known	

#### Massachusetts Right To Know:

None Known

**U.S. EPA Label Information:** No Data.

### Canada

**WHMIS Classification:** Class D2B (Toxic)

**Symbol:** Stylized T



# PS110 Siloxane Water Repellent WB-10 Penetrating Sealer

Page 6

## 16 Other Information

**HMIS Classification:**

Health Hazard: 1

Flammability: 0

Physical Hazards: 0

**NFPA Rating:**

Health Hazard: 1

Fire: 0

Reactivity Hazard: 0

**Issuance Date:** September 30, 2014**Revision Date:** September 30, 2014**Revision Note:** GHS**Date of Previous Version:** July 13, 2007**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.