

TS206 Acrylic Floor Wax WB w/ Low Gloss

Page 1

1 Identification

Product identifier

Product Name: TS206 Acrylic Floor Wax WB w/ Low Gloss

Other means of identification

Product Code: TS206

Synonyms: N/A

Recommended use of the chemical and restrictions on use

Recommended Use: Floor Wax

Uses advised against: No Data

Details of the supplier of the Safety Data Sheet**Distributor Address**

Concrete Sealers USA

P.O. Box 5464

De Pere, WI 54115

Emergency telephone number

Company Phone Number: 888-583-2991

24 Hour Emergency Phone Number: 800-424-9300

2 Hazard(s) Identification

Classification**OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Label elements**Emergency Overview****Warning****Hazard statements**

May be harmful if swallowed

May cause an allergic skin reaction

May cause eye irritation

May be harmful if inhaled

May Cause Respiratory Irritation

Appearance Milky White Liquid



Physical state Liquid

Odor Cherry Scented

TS206 Acrylic Floor Wax WB w/ Low Gloss

Page 2

2 Hazard(s) Identification (Continued)

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.
 Wash hands and face thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Contaminated work clothing should not be allowed out of the workplace.
 Wear protective gloves.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 IF SWALLOWED: Immediately call a POISON CONTROL CENTER/doctor.
 IF ON SKIN: Wash with plenty of soap and water.
 If skin irritation occurs: Get medical advice or attention.
 Take off contaminated clothing and wash before reuse.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed.
 Keep from freezing.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

Hazards not otherwise classified (HNOC)

May cause skin irritation.

Other Information N/A

3 Composition / Information on Ingredients

Substance

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4 First-Aid Measures

Description of first aid measures

General advice: Move out of the dangerous area. Consult a physician. Provide this Safety Data Sheet to the doctor in attendance.

Eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.

Skin contact: IF ON SKIN: Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. If symptoms persist, call a physician.

Ingestion: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

TS206 Acrylic Floor Wax WB w/ Low Gloss

4 First-Aid Measures (Continued)

Most important symptoms and effects, both acute and delayed

Symptoms: Eye, Skin, and Respiratory Irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically. For additional information, see Safety Data Sheet.

5 Fire-Fighting Measures

Suitable extinguishing media

Product is not combustible. Use water spray (fog), alcohol-resistant foam, dry chemical, or carbon dioxide for surrounding fire.

Unsuitable extinguishing media: Not Applicable.

Specific hazards arising from the chemical

None Known.

Hazardous combustion products: Carbon oxides.

Explosion data

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not sensitive.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions: In case of spill wear appropriate personal protective equipment during any cleanup and response activities. Avoid skin contact and inhalation.

Environmental precautions

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not allow product to enter any drains or waterways.

Methods and material for containment and cleaning up

Methods for containment: Dike and contain spill with inert absorbent materials. Soak up with inert material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Methods for cleaning up: Pick up and transfer to properly labeled containers.

7 Handling and Storage

Precautions for safe handling

Advice on safe handling: Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep at a temperature not exceeding 38 Degrees C (100 Degrees F). Do not allow material to freeze. Keep container tightly closed in a dry and well ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Incompatible materials: None known.

TS206 Acrylic Floor Wax WB w/ Low Gloss

8 Exposure Controls / Personal Protection

Control parameters

Exposure Guidelines: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Controls: General/Local Ventilation Recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin and body protection: Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.

Respiratory protection: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

9 Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Milky White Liquid	Odor	Cherry Scented
Color	White	Odor threshold	No data available

Property	Values	Remarks • Method
pH	Not Relevant	
Melting point / freezing point	Not Applicable/ 32°F	
Boiling point / boiling range	212 °F	
Flash point	> 212 °F	CC (closed cup)
Evaporation rate	Not Available	
Flammability (solid, gas)	Not Relevant	
Flammability Limit in Air		
Upper flammability limit:	Not Available	
Lower flammability limit:	Not Available	
Vapor pressure	Not Available	
Vapor density	Not Available	
Relative density	1.02 @ 70 Degrees F	
Water solubility	Soluble in water	
Solubility in other solvents	Not Available	
Partition coefficient	Not Available	
Autoignition temperature	Not Available	
Decomposition temperature	Not Available	

TS206 Acrylic Floor Wax WB w/ Low Gloss

9 Physical and Chemical Properties (Continued)

Property	Values	Remarks • Method
Kinematic viscosity	Not Available	
Dynamic viscosity	Not Available	
Explosive properties	Not Available	
Oxidizing properties	Not Available	
Other Information		
Softening point	Not Relevant	
Molecular weight	Not Available	
VOC Content (%)	< 100 g/L	
Density	Not Available	
Bulk density	Not Available	

10 Stability and Reactivity

Reactivity

Not Available.

Chemical stability

Stable.

Possibility of Hazardous Reactions

No data available.

Conditions to avoid

None known.

Incompatible materials

None known.

Hazardous Decomposition Products

Carbon oxides.

11 Toxicological Information

Information on likely routes of exposure

Product Information

Inhalation: Direct contact and vapor inhalation.

Eye contact: Direct contact.

Skin contact: Direct contact.

Ingestion: Direct contact.

Information on toxicological effects

Symptoms: Ingestion may cause nausea, vomiting and diarrhea. Exposure causes mild skin irritation. Exposure causes eye irritation. Depending on concentration of residual monomers (typically <0.1%), vapors can collect above the liquid in closed containers. These vapors may result in eye and upper respiratory tract irritation.

TS206 Acrylic Floor Wax WB w/ Low Gloss

Page 6

11 Toxicological Information (Continued)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation: Irritating to skin.

Serious eye damage/eye irritation: Irritating to eyes.

Irritation: Irritating to eyes, respiratory system and skin.

Sensitization: No data available.

Germ cell mutagenicity: No data available.

Carcinogenicity: This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Reproductive toxicity: Not Available.

STOT - single exposure: Not Available.

STOT - repeated exposure: Not Available.

Aspiration hazard: Not Available.

Numerical measures of toxicity - Product Information N/A

12 Ecological Information

No available data.

Ecotoxicity N/A

Persistence and degradability

No data available.

Bioaccumulation

No data available.

Other adverse effects

No data available.

13 Disposal Considerations

Waste treatment methods

Disposal of wastes: This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261).

Contaminated packaging: Dispose of in accordance with federal, state and local regulations.

14 Transport Information

DOT: Not regulated

Marine pollutant: No available data

IATA: Not regulated

IMDG: Not regulated

TS206 Acrylic Floor Wax WB w/ Low Gloss

15 Regulatory Information

International Inventories

TSCA: Complies

DSL/NDSL: Complies

EINECS/ELINCS: Complies

ENCS: Complies

IECSC: Complies

KECL: Complies

PICCS: Complies

AICS: Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute health hazard: Yes

Chronic health hazard: Yes

Fire hazard: No

Sudden release of pressure hazard: No

Reactive hazard: No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations N/A

U.S. EPA Label Information N/A

TS206 Acrylic Floor Wax WB w/ Low Gloss

16 Other Information

NFPA	Health hazards 1	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health hazards 1	Flammability 0	Physical hazards 0	Personal protection X

Issue Date: 13-May-2015

Revision Date: 27-May-2015

Revision Note

No data available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.